

AIM HIGHER WITH UPC

Open-Cell Spray Foam

AT UPC, R-VALUE RULES

When you work with us, everyone wins. Our baseline product is everyone else's premium, and our best is unmatched in the industry.

Our original open-cell spray foam is a revolutionary light-density polyurethane foam designed to provide a custom-fit air barrier.

Benefits include:

- Custom-Fit Insulation
- Sound Control
- Indoor Air Quality
- Lightweight
- Air Barrier
- Seamless
- Maximum R-Value
- Eco-Friendly Water-blown Technology



SPRAY FOAM BENEFITS YOU CAN TRUST

- ✓ Enhanced Energy Efficiency
- ✓ Noise Reduction
- ✓ Versatile Application
- ✓ Environmentally Friendly



Scan Me!

UPC 500™ CLASSIC

CLASSIC OPEN-CELL

Our original half-pound open-cell foam is an easy-to-install, no-mix, no-fuss formula.

- R-value of 4.2 at 1"
- Yield up to 18,000 Board Feet
- Air sealing using environmentally friendly water-blown technology
- Intertek CCRR
- Intertek Clean-Air Gold Certified
- Consistent, high-quality performance

UPC 500™ MAX / MAX-PRO

ULTRA HIGH-YIELD OPEN-CELL

This ultra-high yield open-cell foam offers incredible cell structure, sprayability and appearance.

- R-value of 3.8 at 1"
- Yield up to 21,000 Board Feet
- Air sealing using environmentally friendly water-blown technology
- Intertek CCRR
- Intertek Clean-Air Gold Certified
- Easy-to-prepare and install

UPC 500™ OCX

APPENDIX X OPEN-CELL

Our ignition-barrier (Appendix X) approved open-cell foam is the best on the market.

- R-value of 3.7 at 1"
- Yield up to 18,000 Board Feet
- Air sealing using environmentally friendly water-blown technology
- Intertek CCRR
- Intertek Clean-Air Gold Certified
- Superior Fire Rating
- Appendix X Approved

Made in America under the ISO 9001 Quality Assurance Program.

DISCLAIMER: Please read all information in the technical data sheets, application guides and safety data sheets (SDS) before installing UPC products. UPC products are for professional use only and applied by professionals who have undergone training in the application of UPC products. Published technical data and instructions are subject to change without notice. Contact your local UPC representative or visit us on the web at www.upcfoam.com for current technical data and instructions. All guidelines, recommendations, statements, and technical data contained herein are based on information and tests we believe to be reliable and correct, but accuracy and completeness of said tests are not guaranteed and are not to be construed as a warranty, either expressed or implied. It is the user's responsibility to satisfy himself, by his own information and tests, to determine suitability of the product for his own intended use, application and job situation. User assumes all risk and liability resulting from his own use of the product. Neither seller nor manufacturer shall be liable to the buyer or any third party for any injury, loss or damage directly or indirectly resulting from use of, or inability to use, the product.



We aim *higher*, aim *better* and our products go *further*.

UPCFOAM.COM | (682) 503-8069 | UPC@UPCFOAM.COM
3001 E. PIONEER PARKWAY, ARLINGTON, TX 76010